## PATENT COOPERATION TREATY

# **PCT**

AND POTH	10 24	SEP	2004
REC'D 27	MAY 2004		
WIPO	F	PCT	

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

(Rationalised Report according	to the Hottes of the A. Hard		on of Transmittal of International
oplicant's or agent's file reference	FOR FURTHER ACTION	See Notificati Preliminary I	on of Transmittal of Methadoma Examination Report (Form PCT/IPEA/416)
1799wo-kf	International filing date (day)	month year)	Priority date (day month year)
ternational application No.	20/03/2003		27/03/2002
PCT/FI03/00217			
ernational Patent Classification (IPC)	•		
	B63B29/02		
oplicant  KVAERNER MASA-YARDS OY	et al.		
Authority and is transmitted to	xamination report has been prepar the applicant according to Article		
2. This REPORT consists of a t	otal of Sheets, including	ng this cover she	et.
This report is also accomp		s of the descripti	ion, claims and/or drawings which have ifications made before this Authority
These annexes consists of a tot	al of 3 sheets.		minimal budgets of the met meditable for the med
	s relating to the following items:		·
I X Basis of the report			
II Priority			
III Non-establishment	of opinion with regard to novelty	, inventive step a	nd industrial applicability
IV Lack of unity of in  V Reasoned statemer citations and expla	vention at under Article 35(2) with regard nations supporting such statement	to novelty, inven	tive step or industrial applicability;
VI Certain documents	cited:		
	the international application		
	ns on the international application	1	
VIII [M. GIISEL			
			- C this report
Date of submission of the demand		Date of completion	
24/07/2003		<b>2 1.</b> 05. 04	waste the s Patentame
Name and mailing address of the IPE	A/	authorized officer	
European Patent Office D-80298 Munich Tel. (+49-89) 2399-0, To Fax: (+49-89) 2399-4465	:: 523656 epmu d	Diana Porta	abella Llinares
Form PCT/IPEA/409 (cover sheet) P2		/2004)	egolus sullope

International application No.

### PCT/FI03/00217

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

#### I. Basis of the report

<ol> <li>This report has been drawn up on the basis of (Replacement sheets which have invitation under Article 14 are referred to in this report as "originally filed" and are amendments.)</li> </ol>				h have been furnished to the receiving Office in r and are not annexed to the report since they do r	esponse to an not contain
		the international application a	s originally filed		
	X	the description, pages	1-12	, as originally filed	
		pages		, filed with the demand	
		pages		, filed with the letter of	
	X	the claims, Nos.		, as originally filed	•
		Nos.		, as amended under Article 19	
		Nos.		, filed with the demand	
: :		Nos.	1-12	, filed with the letter of	18.02.04
	X	the drawings, sheets / fig.	1/6-6/6	, as originally filed	
!		sheets / fig.		, filed with the demand	
		sheets / fig.		, filed with the letter of	
:	. The amendr	nents have resulted in the cand	ellation of:		
•		the description, pages:			
:	X	the claims, Nos.	13, 14 .		
:		the drawings, sheets / fig.	•		
	3. 🗵 Th	is report has been established a yond the disclosure as filed (Ru	as if (some of) the amendme lle 70.2 (c)).	ints had not been made, since they have been co	nsidered to go
٠		There is no suppor installed through th	t in the application e end (3c).	documents as to the room units	being
	4. Additional o	observations, if necessary:			

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

#### 1. Statement

Novelty	Claims	4-12 · ·	YES
	Claims	1-3, 5	NO
Inventive Step	Claims	12	YES
	Claims	4, 6-11	NO
Industrial Applicability	Claims	1-12	YES
·	Claims		NO

#### 2. Citations and Explanations

1. The object of independent claims 1 and 8 fully anticipated by D1 (US-A-4 779 552), which shows a system in a water-craft for providing furnishings, in which system one or more prefabricated room units (7) are arranged to be inserted into the water-craft, which water-craft comprises one or more deck constructions, provided with support structures (4), and a board (3), whereby the board (3) of the water-craft is provided with an opening or an end, and in that the room units (7) are arranged to be installed in the water-craft through the opening into predetermined positions on the deck construction so that an exterior side portion (9) of the room unit (7) forms a part of the outboard (3) of the water-craft and/or an interior side portion of the room unit (7) forms a part of the interior board surrounding an open inner section of the water-craft; (claim 1)

a method for providing furnishings in a water-craft, which water-craft comprises one or more deck constructions, provided with supporting structures (4), and a board (3), in which method one or more room units (7) are installed into the water-craft, whereby one or more room units (7) are installed on the deck construction through an opening provided in the board (3) of the water-craft, and in that the room units (7) are moved into predetermined positions on the deck construction so that the exterior side portion (9) of the room unit (9) forms a part of the outboard (3) of the water-craft and/or an interior side portion of the room unit (7) forms a part of the interior board of an open inner section of the water-craft (claim 8).

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

It is to be noted that the term board and especially the term outboard has usually a different meaning, ie outboard or inboard. Therefore independent claims 1 and 8 read on the disclosure in D1.

Moreover, D2 (GB-A-2 110 603) also anticipates fully the subject-matter of independent claims 1 and 8. D2 shows also the interior board and an inner section which may be designated as being open.

- 2. The appended claims 2, 3 and 5 are also fully anticipated by the disclosure in D1 or D2.
- 3. Appended claims 4 and 6-11 are concerned with obvious design features, and as such do not add any inventive subject-matter to the respective claim they are appended to.
- 4. There is no fair suggestion in the available prior art as to a method according to appended claim 12.

However it seems that the particular disposition of the supporting structure as shown in figures 1 and 2 is needed.

#### PCT/FI03/00217

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

## VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

- The expression "the board ... is provided with an opening or an end" is misleading since it is not possible to have an end between each two openings.
  - The last part of independent claims 1 and 8 introduced by "and/or" is concerned with an inner board, such that the above expression is even less clear in this particular context.
- 2. It is not clear how the units may be installed in the water-craft through an opening or an end, unless the end is also provided with an opening.
  - Furthermore if the units are introduced through the end, the openings in the board are not necessary.
- 3. The present text of claim 5 does not seem to make much sense unless the independent claim mentions the supporting structure to be situated between each second unit.



5

10

15

25

30

#### (TWICE) AMENDED CLAIMS

1. A system in a water-craft for providing furnishings, in which system one or more prefabricated room units (2a,2b,2c,2d) are arranged to be inserted into the water-craft (1), which water craft comprises one or more deck constructions (11), provided with support structures (14), and a board (3a,3b), characterised in that the board (3a,3b) of the water craft (1) is provided with an opening (4) or an end (3c), and in that the room units (2a,2b,2c,2d) are arranged to be installed in the water-craft (1) through the opening (4) or the end (3c) into predetermined positions (8a,8b,8c,8d) on the deck construction (11) so that an exterior side portion (9) of the room unit (2a,2b,2c,2d) forms a part of the outboard (3a) of the water-craft (1) and/or an interior side portion (10) of the room unit (2a,2b,2c,2d) forms a part of the interior board (3b) surrounding an open inner section (12) of the water-craft (1).

2. A system according to claim 1, consacterised in that the room unit (2a,2b,2c,2d) comprises one or more points points of similar units.

- 3. A system according to claim 1 or 2, characterised in that the exterior side portion (9) and/or the interior side portion (10) consists of a window (9a), a wall (9b) and/or a balcony (9c).
  - 4. A system according to claim 3, characterised in that the side portion (9a,9b,9c) is installed after the room unit (2a,2b,2c,2d) has been moved into the water-craft (1).
    - 5. A system according to claim 1, characterised in that the width of the opening (4) arranged in the board (3a,3b) is smaller than the total width of two or more room units (2a,2b,2c,2d), when the room units (2a,2b,2c,2d) are being taken into the water-craft (1).





5

25

- 6. A system according to any one of claims 1-5, characterised in that the sealing of the room unit/units (2a,2b,2c,2d) is at least partially carried out by connecting the exterior side portion (9) or the interior side portion (10) directly to another exterior side portion (9) or another interior side portion (10) by means of separate cover strips or another sealing arrangement.
- 7. A system according to claim 3, characterised in that the side portion (9a, 9b) includes a floor and/or a ceiling portion (17) to be installed separately.
- 8. A method for providing furnishings in a water craft, which water craft (1) comprises one or more deck constructions (11), provided with supporting structures (14), and a board (3a,3b), in which method one or more room units (2a,2b,2c,2d) are installed into the water craft (1), characterised in that one or more room units (2a,2b,2c,2d) are installed on the deck construction (11) through an opening (4) or and end (3c) provided in the board (3a,3b) of the water craft (1), and in that the room units (2a,2b,2c,2d) are moved into predetermined positions (3a,8b,8c,8d) on the deck construction (11) so that the an exterior side portion (9) of the room unit (2a,2b,2c,2d) forms a part of the outboard (3) of the water-craft (1) and/or an interior side portion (10) of the room unit (2a,2b,2c,2d) forms a part of the interior board (3b) of an open inner section (12) of the water-craft (1).
  - 9. A method according to claim 8, characterised in that after the room unit (2a,2b,2c,2d) has reached the predetermined position (8a,8b,8c,8d) the exterior side portion (9) is disposed, attached and/or sealed to the outboard (3a) and/or the interior side portion (10) is disposed, attached and/or sealed to the interior board (3b).
  - 10. A method according to claim 8 or 9, characterised in that a separate side portion (9,10) is disposed, attached and/or sealed to the room unit (2a,2b,2c,2d) or to the board (3a,3b).



5

10

- 11. A method according to any one of claims 8 10, characterised in that the room unit (2a,2b,2c,2d) comprises one or more cabins, rooms or similar units and/or the side portion (9,10) comprises one or more windows (9a), walls (9b) and/or balconies (9c).
- 12. A method according to any one of claims 8 11, characterised in that the room unit (2a,2b,2c,2d) is moved aboard in the transverse direction (A) of the water-craft (1) through the board (3a,3b) of the water-craft without any substantial movement in the longitudinal direction (B) of the water-craft, so that the movement in the longitudinal direction (B) is preferably smaller than the width of the room unit (2a,2b,2c,2d).

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.